

Direct Start (1 Pump)		VOLTAGE	MAX POWER		CURRENT	
	CODE	V-	kW	Hp	Range (A)	Max (A)
Direct Start 1 - 0.37 Mono	22001	1-230	0.37	0.5	4.2-5.7	5.7
Direct Start 1 - 0.55 Mono	22002	1-230	0.55	0.75	5.7-7.6	7.6
Direct Start 1 - 0.75 Mono	22003	1-230	0.75	1	7.6-9	9
Direct Start 1 - 1.1 Mono	22004	1-230	1.1	1.5	10-12	12
Direct Start 1 - 1.5 mono	22005	1-230	1.5	2	13-16	16
Direct Start 1 - 2.2 Mono	22006	1-230	2.2	3	16-20	20
Direct Start 1 - 0.37	22007	3 - 400	0.37	0.5	1.0-1.3	1.3
Direct Start 1 - 0.55	22008	3 - 400	0.55	0.75	1.7-2.3	2.3
Direct Start 1 - 0.75	22009	3 - 400	0.75	1	2.3-3.1	3.1
Direct Start 1 - 1.1	22010	3 - 400	1.1	1.5	2.3-3.1	3.1
Direct Start 1 - 1.5	22011	3 - 400	1.5	2	3.1-4.2	4.2
Direct Start 1 - 2.2	22012	3 - 400	2.2	3	5.7-7.6	7.6
Direct Start 1 - 3	22013	3 - 400	3	4	7.6-9	9
Direct Start 1 - 4	22014	3 - 400	4	5.5	7.6-9	9
Direct Start 1 - 5.5	22015	3 - 400	5.5	7.5	10-12	12
Direct Start 1 - 7.5	22016	3 - 400	7.5	10	13-16	16
Direct Start 1 - 9.6	22017	3 - 400	9.6	12.5	16-20	20
Direct Start 1 - 11	22018	3 - 400	11	15	20-24	24
Direct Start 1 - 15	22019	3 - 400	11	15	29-32	32
Direct Start 1 - 18.5	22020	3 - 400	18.5	25	35-38	38
Direct Start 1 - 22	22021	3 - 400	22	30	44-50	50
Direct Start 1 - 30	22022	3 - 400	30	40	57-60	60
Direct Start 1 - 37	22023	3 - 400	37	50	65-78	78

Direct Start (2 Pumps)		VOLTAGE	MAX POWER		CURRENT	
	CODE	V-	kW	Hp	Range (A)	Max (A)
Direct Start 2 - 0.37 Mono	22201	1-230	0.37	0.5	4.2-5.7	5.7
Direct Start 2 - 0.55 Mono	22202	1-230	0.55	0.75	5.7-7.6	7.6
Direct Start 2 - 0.75 Mono	22203	1-230	0.75	1	7.6-9	9
Direct Start 2 - 1.1 Mono	22204	1-230	1.1	1.5	10-12	12
Direct Start 2 - 1.5 Mono	22205	1-230	1.5	2	13-16	16
Direct Start 2 - 2.2 Mono	22206	1-230	2.2	3	16-20	20
Direct Start 2 - 0.37	22207	3 - 400	0.37	0.5	1.0-1.3	1.3
Direct Start 2 - 0.55	22208	3 - 400	0.55	0.75	1.7-2.3	2.3
Direct Start 2 - 0.75	22209	3 - 400	0.75	1	2.3-3.1	3.1
Direct Start 2 - 1.1	22210	3 - 400	1.1	1.5	2.3-3.1	3.1
Direct Start 2 - 1.5	22211	3 - 400	1.5	2	3.1-4.2	4.2
Direct Start 2 - 2.2	22212	3 - 400	2.2	3	5.7-7.6	7.6
Direct Start 2 - 3	22213	3 - 400	3	4	7.6-9	9
Direct Start 2 - 4	22214	3 - 400	4	5.5	7.6-9	9
Direct Start 2 - 5.5	22215	3 - 400	5.5	7.5	10-12	12
Direct Start 2 - 7.5	22216	3 - 400	7.5	10	13-16	16
Direct Start 2 - 9,6	22217	3 - 400	9.6	12.5	16-20	20
Direct Start 2 - 11	22218	3 - 400	11	15	20-24	24

Direct Start 2 - 15	22219	3 - 400	11	15	29-32	32
Direct Start 2 - 18.5	22220	3 - 400	18.5	25	35-38	38
Direct Start 2 - 22	22221	3 - 400	22	30	44-50	50
Direct Start 2 - 30	22222	3 - 400	30	40	57-60	60
Direct Start 2 - 37	22223	3 - 400	37	50	65-78	78

Direct Start 3		VOLTAGE	MAX POWER		CURRENT	
	CODE	V-	kW	Hp	Range (A)	Max (A)
Direct Start 3 - 0.37 Mono	22301	1-230	0.37	0.5	4.2-5.7	5.7
Direct Start 3 - 0.55 Mono	22301	1-230	0.55	0.75	5.7-7.6	7.6
Direct Start 3 - 0.75 Mono	22301	1-230	0.75	1	7.6-9	9
Direct Start 3 - 1.1 Mono	22301	1-230	1.1	1.5	10-12	12
Direct Start 3 - 1.5 Mono	22301	1-230	1.5	2	13-16	16
Direct Start 3 - 2.2 Mono	22301	1-230	2.2	3	16-20	20
Direct Start 3 - 0.37	22301	3 - 400	0.37	0.5	1.0-1.3	1.3
Direct Start 3 - 0.55	22301	3 - 400	0.55	0.75	1.7-2.3	2.3
Direct Start 3 - 0.75	22301	3 - 400	0.75	1	2.3-3.1	3.1
Direct Start 3 - 1.1	22301	3 - 400	1.1	1.5	2.3-3.1	3.1
Direct Start 3 - 1.5	22301	3 - 400	1.5	2	3.1-4.2	4.2
Direct Start 3 - 2.2	22301	3 - 400	2.2	3	5.7-7.6	7.6
Direct Start 3 - 3	22301	3 - 400	3	4	7.6-9	9
Direct Start 3 - 4	22301	3 - 400	4	5.5	7.6-9	9
Direct Start 3 - 5.5	22301	3 - 400	5.5	7.5	10-12	12
Direct Start 3 - 7.5	22301	3 - 400	7.5	10	13-16	16
Direct Start 3 - 9,6	22301	3 - 400	9.6	12.5	16-20	20
Direct Start 3 - 11	22301	3 - 400	11	15	20-24	24
Direct Start 3 - 15	22301	3 - 400	11	15	29-32	32
Direct Start 3 - 18.5	22301	3 - 400	18.5	25	35-38	38
Direct Start 3 - 22	22301	3 - 400	22	30	44-50	50
Direct Start 3 - 30	22301	3 - 400	30	40	57-60	60
Direct Start 3 - 37	22301	3 - 400	37	50	65-78	78

Direct Start (4 Pumps)		VOLTAGE	MAX POWER		CURRENT	
	CODE	V-	kW	Hp	Range (A)	Max (A)
Direct Start 4 - 0.37	22401	3 - 400	0.37	0.5	1.0-1.3	1.3
Direct Start 4 - 0.55	22402	3 - 400	0.55	0.75	1.7-2.3	2.3
Direct Start 4 - 0.75	22403	3 - 400	0.75	1	2.3-3.1	3.1
Direct Start 4 - 1.1	22404	3 - 400	1.1	1.5	2.3-3.1	3.1
Direct Start 4 - 1.5	22405	3 - 400	1.5	2	3.1-4.2	4.2
Direct Start 4 - 2.2	22406	3 - 400	2.2	3	5.7-7.6	7.6
Direct Start 4 - 3	22407	3 - 400	3	4	7.6-9	9
Direct Start 4 - 4	22408	3 - 400	4	5.5	7.6-9	9
Direct Start 4 - 5.5	22409	3 - 400	5.5	7.5	10-12	12
Direct Start 4 - 7.5	22410	3 - 400	7.5	10	13-16	16
Direct Start 4 - 9,6	22411	3 - 400	9.6	12.5	16-20	20
Direct Start 4 - 11	22412	3 - 400	11	15	20-24	24
Direct Start 4 - 15	22413	3 - 400	11	15	29-32	32

Direct Start 4 - 18.5	22414	3 - 400	18.5	25	35-38	38
Direct Start 4 - 22	22415	3 - 400	22	30	44-50	50
Direct Start 4 - 30	22416	3 - 400	30	40	57-60	60
Direct Start 4 - 37	22417	3 - 400	37	50	65-78	78

700	500	260	Metallic	
700	500	260	Metallic	
800	600	260	Metallic	
800	600	260	Metallic	